

# PRODUCT DATASHEET

## LED FLAT 20 W 2700 K

Slim design | Slim LED luminaires with LED module



---

### AREAS OF APPLICATION

- Indoor applications
- Corridors, entrance areas, stairwells, living rooms, basements
- Kitchens, workspaces

---

### PRODUCT BENEFITS

- Very slim design
- Energy savings of up to 80 % compared to luminaires using conventional lamps
- Easy and quick installation

---

### PRODUCT FEATURES

- Ceiling luminaire with advanced LED technology
- Circular light emission



## TECHNICAL DATA


### Electrical data

Nominal wattage	20.00 W
Nominal voltage	220...240 V
Mains frequency	50/60 Hz

### Photometrical data

Color temperature	2700 K
Color rendering index Ra	80
Light color (designation)	Warm White
Luminous flux	1200 lm

### Dimensions & weight



Diameter	380.0 mm
Height	29.0 mm
Product weight	710.00 g

### Colors & materials

Body material	Polycarbonate (PC)
Housing color	Gray
Product color	Gray
Cover material	Polycarbonate (PC)

### Temperatures & operating conditions

Ambient temperature range	-20...40 °C
---------------------------	-------------

### Additional product data

Mounting type	Surface
Mounting location	Ceiling / Wall

## Capabilities

<b>Dimmable</b>	No
<b>Type of connection</b>	Screw terminal
<b>LED module replaceable</b>	Not replaceable

## Certificates &amp; standards

<b>Protection class</b>	II
<b>Type of protection</b>	IP20
<b>Standards</b>	CE/REACH/RoHS

---

**EQUIPMENT / ACCESSORIES**

- Complete mounting and connecting accessories included

---

**LOGISTICAL DATA**

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4058075228399	Folding carton box 1	385 mm x 35 mm x 388 mm	759.00 g	5.23 dm <sup>3</sup>
4058075228405	Shipping carton box 10	399 mm x 366 mm x 405 mm	8093.00 g	59.14 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

**DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.